```
28
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           6016311.pn.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    6542736.pn.
                                                                                                                                                                                                                                                                                                                                                                                                    455/$.ccls. and (channel near quality) and ((reduc$5 near (bandwidth or (data near rate)) near (interference or noise))) and @ad<20010628
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 455/570.ccls. and ((frequenc$5 and (time near slot$2)) near (chang$6 or modif$10))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         455/451.ccls. and (indicat$6 near frequency near range) and timeslot$2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  455/423-425.ccls. and (indicat$6 near frequency near range) and timeslot$2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         455/422.1.ccls. and (indicat$6 near frequency near range) and timeslot$2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    5857147.pn.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             6574797.pn
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               5557603.pn
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              455/$.ccls. and ((chang$6 or modif$10) near (bandwidth and time-slot$2))
                                                                     455/63.1-67.13.ccls. and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                            455/63.1.ccls. and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                                                                     455/501-506.ccls. and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                                                                                                            455/451-453.ccls. and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                                                                                                                                                  455/423-425.ccls. and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                                                                                                                                                                                           455/422.1.ccls. and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                                                                                                                                                                                                                                    455/$.ccls. and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                                                                                                                                                                                                                                                                           455/$.ccls. and (channel near quality) and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                                                                                                                                                                                                                                                                                                                                                             455/$.ccls. and (channel near quality) and (reduc$5 near bandwidth) and @ad<20010628
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        455/114.2.ccls. and ((frequenc$5 and (time near slot$2)) near (chang$6 or modif$10))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          455/67.13.ccls. and ((frequenc$5 and (time near slot$2)) near (chang$6 or modif$10);
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                455/63.11.ccls. and ((frequenc$5 and (time near slot$2)) near (chang$6 or modif$10))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         455/501-506.ccls. and ((frequenc$5 and (time near slot$2)) near (chang$6 or modif$10))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  455/452.1-453.ccls. and ((frequenc$5 and (time near slot$2)) near (chang$6 or modif$10))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   455/$.ccls. and ((frequenc$5 and (time near slot$2)) near (chang$6 or modif$10))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          455/$.ccls. and ((frequency and (time near slot)) near (chang$6 or modif$10))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 455/$.ccls. and ((frequency and (time near slot$2)) near (chang$6 or modif$10);
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          455/$.ccls. and ((chang$6 or modif$10) near (bandwidth and (time near slot$2)))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         455/$.ccls. and ((chang$6 or modif$10) near (bandwidth and timeslot$2))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  l3 and (indicat$6 near (frequency adj range$2))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         455/$.ccls. and ((chang$6 or modif$10) near (frequency adj range$2))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               455/$.ccls. and (indicat$6 near frequency near range)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        455/$.ccls. and (indicat$6 near frequency near range) and timeslot$2
```

```
& O
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       6016311.pn.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           6574797.pn.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            455/114.2.ccls. and ((frequenc$5 and (time near slot$2)) near (chang$6 or modif$10))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       455/570.ccls. and ((frequenc$5 and (time near slot$2)) near (chang$6 or modif$10))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 455/67.13.ccls. and ((frequenc$5 and (time near slot$2)) near (chang$6 or modif$10))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   6542736.pn.
                                          455/453.ccls. and transmitter and receiver and (channel near quality) and uplink
                                                                                    455/452.2.ccls. and transmitter and receiver and (channel near quality) and uplink
                                                                                                                                                                                                                                                                                                                                                                                   5857147.URPN
                                                                                                                                                                                                                                                                                                                                                                                                                         455/63.1-67.13.ccls. and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                                                                                                                                                                                                                                                                                                                                                                                   455/63.1.ccls. and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           455/501-506.ccls. and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   455/451-453.ccls. and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     455/422.1.ccls. and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                455/$.ccls. and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        455/$.ccls. and (channel near quality) and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          455/$.ccls. and (channel near quality) and (reduc$5 near bandwidth) and @ad<20010628
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         455/63.11.ccls. and ((frequenc$5 and (time near slot$2)) near (chang$6 or modif$10))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 455/501-506.ccls. and ((frequenc$5 and (time near slot$2)) near (chang$6 or modif$10))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    455/451.ccls. and (indicat$6 near frequency near range) and timeslot$2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              455/423-425.ccls. and (indicat$6 near frequency near range) and timeslot$2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        455/422.1.ccls. and (indicat$6 near frequency near range) and timeslot$2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               455/$.ccls. and ((frequency and (time near slot)) near (chang$6 or modif$10))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  455/$.ccls. and ((chang$6 or modif$10) near (bandwidth and (time near slot$2)))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       455/$.ccls. and ((chang$6 or modif$10) near (bandwidth and time-slot$2))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  455/$.ccls. and ((chang$6 or modif$10) near (bandwidth and timeslot$2))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       13 and (indicat$6 near (frequency adj range$2))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            455/$.ccls. and (indicat$6 near frequency near range)
455/501-506.ccls. and transmitter and receiver and (channel near quality) and uplink
                                                                                                                          455/452.1.ccls. and transmitter and receiver and (channel near quality) and uplink
                                                                                                                                                                    455/451.ccls. and transmitter and receiver and (channel near quality) and uplink
                                                                                                                                                                                                            455/423-25.ccls. and transmitter and receiver and (channel near quality) and uplink
                                                                                                                                                                                                                                                    455/422.1.ccls. and transmitter and receiver and (channel near quality) and uplink
                                                                                                                                                                                                                                                                                            455/63.1-67.11.ccls. and transmitter and receiver and (channel near quality) and uplink
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             455/423-425.ccls. and (reduc$5 near (bandwidth or (data near rate)) near (interference or noise)) and @ad<20010628
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                455/$.ccls. and (channel near quality) and ((reduc$5 near (bandwidth or (data near rate)) near (interference or noise))) and @ad<20010628
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            455/452.1-453.ccls. and ((frequenc$5 and (time near slot$2)) near (chang$6 or modif$10))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     455/$.ccls. and ((frequenc$5 and (time near slot$2)) near (chang$6 or modif$10))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          455/$.ccls. and ((frequency and (time near slot$2)) near (chang$6 or modif$10)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      455/$.ccls. and ((chang$6 or modif$10) near (frequency adj range$2))
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         455/$.ccls. and (indicat$6 near frequency near range) and timeslot$2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   sebastian.in. and (wireless or cellular)
```

I4 and (reduc\$7 near bandwidth)
I4 and (reduc\$7 near bandwidth)
I5 and (reduc\$7 near bandwidth)
I6 and (reduc\$7 near bandwidth)
I7 and (reduc\$7 near bandwidth)
I8 and (reduc\$7 near bandwidth)
I9 and (reduc\$7 near bandwidth)
I9 and (reduc\$7 near bandwidth)
I10 and (reduc\$7 near bandwidth)
I370/230.1-235.ccls. and transmitter and receiver and (channel near quality) and uplink
I370/310.2.ccls. and transmitter and receiver and (channel near quality) and uplink
I20 and (reduc\$7 near bandwidth)
I21 and (reduc\$7 near bandwidth)
I22 and (reduc\$7 near bandwidth)

100423110000

I3 and (reduc\$7 near bandwidth)